



**PURCHASING SECTION**  
13450 – 104 Avenue, Surrey, B.C. V3T 1V8  
Tel: 604-590-7274 Fax: 604-599-0956  
E-mail: [purchasing@surrey.ca](mailto:purchasing@surrey.ca)

**ADDENDUM NO. 3**

---

**REQUEST FOR QUOTATIONS (RFQ) NO.:** 1220-040-2016-080

**TITLE:** ROOF REPLACEMENT AT  
NEWTON PUBLIC LIBRARY

**ADDENDUM ISSUE DATE:** AUGUST 5, 2016

**REVISED CLOSING DATE:** PREFER TO RECEIVE QUOTATIONS ON OR  
BEFORE **AUGUST 11**, 2016.

---

**INFORMATION FOR CONTRACTORS**

This Addendum is issued to provide additional information to the RFQ for the above named project, to the extent referenced and shall become a part thereof. No consideration will be allowed for extras due to the contractor not being familiar with this addendum. This Addendum No. 3 contains one (1) page in total.

**1.0 CLOSING DATE**

1.1 Revised Closing Date: prefer to receive quotations on or before August 11, 2016

**2.0 ADDITION TO SPECIFICATION**

1.1 Add new aluminum sill plate at door to mechanical room at RA 4.1, base of penthouse RA6.1. Plate to fully cover existing sill.

1.2 Roof hatch ladder is currently bolted to roof hatch sidewall.

.1 Add new metal brackets to ladder and weld in place.

.2 Add 5/8" x 3" lag bolts from bracket into existing wood blocking of roof hatch.

.3 Paint and / or prime brackets to match existing ladder.

1.3 Add to Section 08630 Metal Skylights, Part 2.2 Materials:

3.2 Powder Coating:

.1 Coating to meet or exceed AAMA 2604-05.

.2 Colour to be determined.

END OF ADDENDUM

---

**All Addenda will become part of the RFQ Documents.**

---